Information Processing Letters 41 (1992) 349–350
North-Holland

Author Index Volume 41 (1992)

(The issue number is given in front of the page numbers.)

Adams, C.M., On immunity against Biham and Shamir's "differential cryptanalysis" (2) 77– 80
Aggarwal, A., Parallel complexity of computing a maximal set of disjoint paths (3) 149–151
Aliyazicioglu, Z., *see* **Erbas, C.** (6) 301–306
Ancona, M., C. Fassino and **V. Gianuzzi**, Optimization of LR(k) "Reduced parsers" (1) 13– 20
Arvind, K. and **C. Pandu Regan**, Connected domination and Steiner set on weighted permutation graphs (4) 215–220
Atkinson, M.D. and **J.-R. Sack**, Generating binary trees at random (1) 21– 23
Aurenhammer, F. and **G. Stöckl**, Searching for segments with largest relative overlap (2) 103–108

Błażewicz, J., P. Dell'Olmo, M. Drozdowski and **M.G. Speranza**, Scheduling multiprocessor tasks on three dedicated processors (5) 275–280
Brandt, J., C. Cabrelli and **U. Molter**, An algorithm for the computation of the Hutchinson distance (*Corrigenda*) (6) 347
Bshouty, N.H., A lower bound for the multiplication of polynomials modulo a polynomial (6) 321–326
Buss, S.R., The graph of multiplication is equivalent to counting (4) 199–201

Cabrelli, C., *see* **Brandt, J.** (6) 347
Carson, S.D., V. Nirkhe and **P. Vongsathorn**, A discrete-state model of the two-headed disk (6) 341–345
Chang, R.C. and **H.S. Lee**, Finding a maximum set of independent chords in a circle (2) 99–102
Chen, C.C.-Y. and **S.K. Das**, Breadth-first traversal of trees and integer sorting in parallel (1) 39– 49
Chen, N.-S., *see* **Huang, S.-T.** (2) 109–117
Clausen, M., Almost all boolean functions have no linear symmetries (6) 291–292

Dam, M., R-generability, and definability in branching time logics (5) 281–287
Das, S.K., *see* **Chen, C.C.-Y.** (1) 39– 49
Dell'Olmo, P., *see* **Błażewicz, J.** (5) 275–280
Di Battista, G., R. Tamassia and **I.G. Tollis**, Constrained visibility representations of graphs (1) 1– 7
Drozdowski, M., *see* **Błazewicz, J.** (5) 275–280

Erbas, C., M.M. Tanik and **Z. Aliyazicioglu**, Linear congruence equations for the solutions of the N-Queens problem (6) 301–306
Esparza, J., A solution to the covering problem for 1-bounded conflict-free Petri nets using Linear Programming (6) 313–319
Esselink, K., The order of Appel's algorithm (3) 141–147

Fassino, C., *see* **Ancona, M.** (1) 13– 20
Franklin, W.R., *see* **Narayanaswami, C.** (5) 257–262

Garvil, F., *see* **Urrutia, J.** (5) 271–274
Gemignani, L., Fast inversion of Hankel and Toeplitz matrices (3) 119–123
Gianuzzi, V., *see* **Ancona, M.** (1) 13– 20
Godfrey, P., *see* **Stotts, P.D.** (1) 25– 33
Goldmann, M. and **J. Håstad**, A simple lower bound for monotone clique using a communication game (4) 221–226
Gries, D., *see* **Misra, J.** (3) 131–133
Gusfield, D., G.M. Landau and **B. Schieber**, An efficient algorithm for the All Pairs Suffix–Prefix Problem (4) 181–185

Håstad, J., *see* **Goldmann, M.** (4) 221–226
Hoover, D. and **J. Poole**, A distributed self-stabilizing solution to the dining philosophers problem (4) 209–213
Huang, S.-T. and **N.-S. Chen**, A self-stabilizing algorithm for constructing breadth-first trees (2) 109–117

Jacob, J., A model of reconfiguration in communicating sequential processes with a notion of transactions (1) 9– 12
Jansen, K., An approximation algorithm for the general routing problem (6) 333–339

Kamin, S., Head-strictness is not a monotonic abstract property (4) 195–198
Kawaguchi, K., *see* **Wada, K.** (3) 169–174
Kirchherr, W.W., Kolmogorov complexity and random graphs (3) 125–130
Ko, C.W. and **F. Ruskey**, Generating permutations of a bag by interchanges (5) 263–269
Kobuchi, Y., Order of state functions and logic functions (2) 61– 66

Landau, G.M., *see* **Gusfield, D.** (4) 181–185
Larsen, K.S., M.I. Schwartzbach and **E.M. Schmidt**, A new formalism for relational algebra (3) 163–168
Lee, H.S., *see* **Chang, R.C.** (2) 99–102
Leermakers, R., A recursive ascent Earley parser (2) 87– 91
Lozinskii, E.L., Counting propositional models (6) 327–332
Luo, Y., *see* **Wada, K.** (3) 169–174

Ma, E., B. Narahari and **L. Tao**, Optimal embedding of 2-D torus into ring (4) 227–231
Miller, L.L., Generating hinges from arbitrary subhypergraphs (6) 307–312
Misra, J., Phase synchronization (*Corrigenda*) (1) 59
Misra, J. and **D. Gries**, A constructive proof of Vizing's Theorem (3) 131–133
Molter, U., *see* **Brandt, J.** (6) 347
Müller, F., Confluence of the lambda calculus with left-linear algebraic rewriting (6) 293–299
Myoupo, J.F., Dynamic programming on linear pipelines (*Corrigenda*) (5) 289

Narahari, B., *see* **Ma, E.** (4) 227–231
Narayanaswami, C. and **W.R. Franklin**, Edge intersection on the hypercube computer (5) 257–262
Nirkhe, V., *see* **Carson, S.D.** (6) 341–345

Pachl, J., A simple proof of a completeness result for *leads-to* in the UNITY logic (1) 35– 38
Pandu Regan, C., *see* **Arvind, K.** (4) 215–220
Pavlů, P., On efficient implementation of LR-attributed grammars (2) 67– 75
Poole, J., *see* **Hoover, D.** (4) 209–213

Radhakrishnan, J., Improved bounds for covering complete uniform hypergraphs (4) 203–207
Rajčáni, P., Optimal parallel 3-coloring algorithm for rooted trees and its applications (3) 153–156
Reddy, R.L.N., *see* **Srimani, P.K.** (1) 51– 57
Rivin, I. and **R. Zabih**, A dynamic programming solution to the n-queens problem (5) 253–256
Rote, G. and **G. Woeginger**, Counting convex k-gons in planar point sets (4) 191–194
Ruskey, F., *see* **Ko, C.W.** (5) 263–269

Sack, J.-R., *see* **Atkinson, M.D.** (1) 21– 23
Schieber, B., *see* **Gusfield, D.** (4) 181–185
Schmidt, E.M., *see* **Larsen, K.S.** (3) 163–168
Schwartzbach, M.I., *see* **Larsen, K.S.** (3) 163–168
Shermer, T.C., A linear algorithm for bisecting a polygon (3) 135–140
Shoudai, T., A P-complete language describable with iterated shuffle (5) 233–238
Speranza, M.G., *see* **Błażewicz, J.** (5) 275–280
Srimani, P.K. and **R.L.N. Reddy**, Another distributed algorithm for multiple entries to a critical section (1) 51– 57
Stöckl, G., *see* **Aurenhammer, F.** (2) 103–108
Stotts, P.D. and **P. Godfrey**, Place/transition nets with debit arcs (1) 25– 33
Szalas, A., Axiomatizing fixpoint logics (4) 175–180

Tamassia, R., *see* **Di Battista, G.** (1) 1– 7
Tang, C.Y., *see* **Wu, L.C.** (4) 187–190
Tanik, M.M., *see* **Erbas, C.** (6) 301–306
Tao, L., *see* **Ma, E.** (4) 227–231
Tollis, I.G., *see* **Di Battista, G.** (1) 1– 7

Urrutia, J. and **F. Garvil**, An algorithm for fraternal orientation of graphs (5) 271–274

Verma, R.M., Strings, trees, and patterns (3) 157–161
Vongsathorn, P., *see* **Carson, S.D.** (6) 341–345
Von Zur Gathen, J., Processor-efficient exponentiation in finite fields (2) 81– 86

Wada, K., Y. Luo and **K. Kawaguchi**, Optimal fault-tolerant routings for connected graphs (3) 169–174
Wang, G., An improved parallel algorithm for computing the generalized inverse A^+ (5) 243–251
Whaley, T., Alternative developments of cyclic-permutation algorithms (5) 239–241
Woeginger, G., *see* **Rote, G.** (4) 191–194
Wu, L.C. and **C.Y. Tang**, Solving the satisfiability problem by using randomized approach (4) 187–190

Yao, X., Finding approximate solutions to NP-hard problems by neural networks is hard (2) 93– 98

Zabih, R., *see* **Rivin, I.** (5) 253–256